



STERIVIC



STERIVIC MEDICAL CO., LTD.
www.sterivic.com



MEDICAL STERILIZATION PRODUCTS MANUFACTURER

Strict Quality Control, Safeguarding Medical Devices Throughout the Process

INTRODUCTION:



- ◆ The 2nd largest professional manufacturer of Sterile Barrier System in China.
- ◆ Construction area of 14,200 m².
- ◆ 1st intelligent certified ISO Class 8 cleanroom workshop of 2,400 m².
- ◆ 2 factories with 53 advanced pouch-making production lines.
- ◆ 7 lines of Printing, 4 lines of Lamination and 5 lines of Slitting.
- ◆ Systematic IQC, IPQC, FQC/OQC + Testing Department, Full-coverage Traceability System + Online detection and tracking system for biological heat sources.
- ◆ 3 Key Product Lines: Sterilization Packaging; Sterilization Wrapping; Sterilization Monitoring.
- ◆ Export to more than 80 countries and regions globally.
- ◆ TÜV SÜD ISO9001 and ISO13485 certified, CMA, BELAC, SGS, NELSON LAB Test Reports.
- ◆ Turn Key Solution for CSSD/SPD, Dental Sectors, Medical Device Manufacturers.

Sterile Processing: Where Healthcare Really Starts!



CONTENT

STERILIZATION PACKAGING

1.1 Sterilization Flat Roll	01
1.2 Sterilization Gusseted Roll	01
1.3 Self-Sealing Sterilization Pouch	02
1.4 Flat Heat-Sealing Sterilization Pouch	03
1.5 Gusseted Heat-Sealing Sterilization Pouch	03
1.6 Tyvek Sterilization Roll	04
1.7 Tyvek Sterilization Pouch	04
1.8 Sterilization Paper Bags	05

STERILIZATION WRAPPING

2.1 Nonwoven Fabric Wrap-SMS/SMMS/SMMMMS	06
2.2 Sterilization Wrapping Crepe Paper	07

STERILIZATION MONITORING

3.1 Sterilization Indicator Tape	08
3.2 Sterilization Indicator Strip	09
3.3 Bowie-Dick Test Pack	10

ACCESSORIES


4.0 Dental Bibs	10
-----------------	----

SEALING EQUIPMENTS

5.1 Manual Sealing Equipments	11
5.2 Automatic Sealing Equipments	12

MEDICAL INDUSTRIAL MATERIALS


6.1 Medical Laminated Film	13
6.2 Medical Dialysis Paper	13



DEDICATED TO PRACTICAL STERILE BARRIER SYSTEM

STERILIZATION PACKAGING

01



STERILIZATION FLAT ROLL

1.1

Model No.	Product Size	Packing Quantity
SVFR-050	50mm x 200m	12ROLLS/CARTON
SVFR-055	55mm x 200m	10ROLLS/CARTON
SVFR-075	75mm x 200m	8ROLLS/CARTON
SVFR-100	100mm x 200m	6ROLLS/CARTON
SVFR-120	120mm x 200m	4ROLLS/CARTON
SVFR-125	125mm x 200m	4ROLLS/CARTON
SVFR-150	150mm x 200m	4ROLLS/CARTON
SVFR-200	200mm x 200m	2ROLLS/CARTON
SVFR-250	250mm x 200m	2ROLLS/CARTON
SVFR-300	300mm x 200m	2ROLLS/CARTON
SVFR-350	350mm x 200m	2ROLLS/CARTON
SVFR-400	400mm x 200m	2ROLLS/CARTON
SVFR-450	450mm x 200m	2ROLLS/CARTON
SVFR-500	500mm x 200m	2ROLLS/CARTON
SVFR-600	600mm x 200m	2ROLLS/CARTON

Other sizes customizable upon request.

FEATURES:

- ◊ Superior barrier with 60gsm/70gsm medical dialysis paper conforming EN 868-2,3,5 and ISO 11607.
- ◊ Reinforced multilayer co-polymer 52µm CPP/PET film.
- ◊ ISO 11140-1 certified water based, non-toxic and accurate process indicators- **STEAM: Blue to Black; ETO: Pink to Yellow; FORM: Red to Green**
- ◊ Three independent seal lines, Reliable tensile strength and clean peel.
- ◊ Excellent gas permeability and microbial barrier properties.
- ◊ Easily sealed with all sealing machines.
- ◊ Storage:0-40°C, keep away from direct sunlight.



STERILIZATION GUSSETED ROLL

1.2

Model No.	Product Size	Packing Quantity
SVGR-075	75mm x 12.5mm x 100m	8ROLLS/CARTON
SVGR-100	100mm x 15mm x 100m	6ROLLS/CARTON
SVGR-120	120mm x 20mm x 100m	4ROLLS/CARTON
SVGR-125	125mm x 20mm x 100m	4ROLLS/CARTON
SVGR-150	150mm x 20mm x 100m	4ROLLS/CARTON
SVGR-200	200mm x 25mm x 100m	2ROLLS/CARTON
SVGR-250	250mm x 27.5mm x 100m	2ROLLS/CARTON
SVGR-300	300mm x 30mm x 100m	2ROLLS/CARTON
SVGR-350	350mm x 35mm x 100m	2ROLLS/CARTON
SVGR-400	400mm x 40mm x 100m	2ROLLS/CARTON
SVGR-450	450mm x 40mm x 100m	2ROLLS/CARTON
SVGR-500	500mm x 40mm x 100m	2ROLLS/CARTON

Other sizes customizable upon request.

FEATURES:

- ◊ Exclusively designed with gusset for the packing of bulky items.
- ◊ Superior barrier with 60gsm/70gsm medical dialysis paper conforming EN 868-2,3,5 and ISO 11607.
- ◊ Reinforced multilayer co-polymer 52µm CPP/PET film.
- ◊ ISO 11140-1 certified water based, non-toxic and accurate process indicators- **STEAM: Blue to Black; ETO: Pink to Yellow; FORM: Red to Green**
- ◊ Three independent seal lines, Reliable tensile strength and clean peel.
- ◊ Excellent gas permeability and microbial barrier properties.
- ◊ Easily sealed with all sealing machines.
- ◊ Manufactured under validated production process.



SELF-SEALING STERILIZATION POUCH 1.3

Model No.	Product Size	Packing Quantity
SVSP-057130	57mm x 130mm	30BOXES/CARTON
SVSP-090150	90mm x 150mm	20BOXES/CARTON
SVSP-090165	90mm x 165mm	20BOXES/CARTON
SVSP-070260	70mm x 260mm	15BOXES/CARTON
SVSP-090260	90mm x 260mm	10BOXES/CARTON
SVSP-115305	115mm x 305mm	10BOXES/CARTON
SVSP-135280	135mm x 280mm	10BOXES/CARTON
SVSP-140305	140mm x 305mm	10BOXES/CARTON
SVSP-190305	190mm x 305mm	5BOXES/CARTON
SVSP-190360	190mm x 360mm	5BOXES/CARTON
SVSP-190380	190mm x 380mm	5BOXES/CARTON
SVSP-200320	200mm x 320mm	5BOXES/CARTON
SVSP-200360	200mm x 360mm	5BOXES/CARTON
SVSP-230395	230mm x 395mm	5BOXES/CARTON
SVSP-305430	305mm x 430mm	5BOXES/CARTON
SVSP-400535	400mm x 535mm	5BOXES/CARTON
SVSP-500630	500mm x 630mm	5BOXES/CARTON

Other sizes customizable upon request.

FEATURES:

- ◊ 60g/70g medical dialyzing paper+52µm CPP/PET film (Blue/Green).
- ◊ 3 ribbed side seals and chevron shape to assist easy opening.
- ◊ The dual internal&external class 5 indicators (Steam, ETO), provides a definite and irreversible color change when exposed to sterilization process.
- ◊ Conforms to ISO11140, ISO 11607-1 and EN868-2,3,5.





FLAT HEAT-SEALING STERILIZATION POUCH

1.4

Model No.	Product Size	Packing Quantity
SVFP-075260	7.5cm x 26cm	7500PCS/CARTON
SVFP-100150	10cm x 15cm	6000PCS/CARTON
SVFP-100250	10cm x 25cm	4000PCS/CARTON
SVFP-150200	15cm x 20cm	4000PCS/CARTON
SVFP-200250	20cm x 25cm	2000PCS/CARTON
SVFP-300400	30cm x 40cm	1000PCS/CARTON
SVFP-300500	30cm x 50cm	1000PCS/CARTON
SVFP-300600	30cm x 60cm	1000PCS/CARTON
SVFP-200400	20cm x 40cm	1600PCS/CARTON
SVFP-080250	8cm x 25cm	7500PCS/CARTON
SVFP-080120	8cm x 12cm	7500PCS/CARTON
SVFP-250350	25cm x 35cm	1500PCS/CARTON
SVFP-100200	10cm x 20cm	6000PCS/CARTON

Other sizes customizable upon request.

FEATURES:

- ◊ Good bacteria resistance, good breathable character and stripping.
- ◊ Packaging for hospital, factory and medical device manufacturer.
- ◊ Material: 60g/70g Medical Dialyzing Paper+52µm CPP/PET film or PE/PET film for EO Sterilization specially.
- ◊ Film Color: Green or Blue or Transparent.
- ◊ Indicator type: Steam, ETO and FORM.
Color change Steam: Blue to Black;
Color change ETO: Pink to Yellow.
- ◊ Single pre-cut customized sizes available.
- ◊ To be sealed 320°F-390°F(160-210°C).

GUSSETED HEAT-SEALING STERILIZATION POUCH

1.5

FEATURES:

- ◊ Good bacteria resistance, good breathable character and stripping.
- ◊ Packaging for hospital, factory and medical device manufacturer.
- ◊ Gusseted with more sterilization spaces than regular.
- ◊ Material: 60g/70g Medical Dialyzing Paper+52µm CPP/PET film or PE/PET film for EO Sterilization specially.
Film Color: Green or Blue or Transparent.
- ◊ Color change Steam: Blue to Black;
- ◊ Color change ETO: Pink to Yellow.
- ◊ To be sealed 320°F-390°F(160-210°C).

Model No.	Product Size	Packing Quantity
SVGP-075260	7.5cm x 26cm	7500PCS/CARTON
SVGP-100150	10cm x 15cm	6000PCS/CARTON
SVGP-100250	10cm x 25cm	4000PCS/CARTON
SVGP-150200	15cm x 20cm	4000PCS/CARTON
SVGP-200250	20cm x 25cm	2000PCS/CARTON
SVGP-300400	30cm x 40cm	1000PCS/CARTON
SVGP-300500	30cm x 50cm	1000PCS/CARTON
SVGP-300600	30cm x 60cm	1000PCS/CARTON
SVGP-200400	20cm x 40cm	1600PCS/CARTON
SVGP-080250	8cm x 25cm	7500PCS/CARTON
SVGP-080120	8cm x 12cm	7500PCS/CARTON
SVGP-250350	25cm x 35cm	1500PCS/CARTON
SVGP-100200	10cm x 20cm	6000PCS/CARTON

Other sizes customizable upon request.





TYVEK STERILIZATION ROLL

1.6

Model No.	Product Size	Packing Quantity
SVTR-075	75mm x 100m	8ROLLS/CARTON
SVTR-100	100mm x 100m	6ROLLS/CARTON
SVTR-120	120mm x 100m	4ROLLS/CARTON
SVTR-125	125mm x 100m	4ROLLS/CARTON
SVTR-150	150mm x 100m	4ROLLS/CARTON
SVTR-200	200mm x 100m	2ROLLS/CARTON
SVTR-250	250mm x 100m	2ROLLS/CARTON
SVTR-300	300mm x 100m	2ROLLS/CARTON
SVTR-350	350mm x 100m	2ROLLS/CARTON
SVTR-400	400mm x 100m	2ROLLS/CARTON
SVTR-500	500mm x 100m	2ROLLS/CARTON
SVTR-600	600mm x 100m	2ROLLS/CARTON

Other sizes customizable upon request.

FEATURES:

- ◊ 3 types could be chosen: 2FS, 1059B, 1073B uncoated Tyvek® web + Transparent multilayer PE/PET copolymer film.
- ◊ Offers superior tear strength and puncture resistance to microbial penetration. Easy peel and high sealing; durable, light weight & flexible.
- ◊ water-resistant & breathable, unique balance of strength & softness.
- ◊ Suitable for Plasma, ETO, Formaldehyde, Gamma sterilization.



TYVEK STERILIZATION POUCH

1.7

FEATURES:

- ◊ 3 types could be chosen: 2FS, 1059B, 1073B uncoated Tyvek® web + Transparent multilayer PE/PET copolymer film.
- ◊ Single pre-cut customized sizes available.
- ◊ Offers superior tear strength and puncture resistance to microbial penetration.
- ◊ Easy peel and high sealing, durable, light weight & flexible, water-resistant & breathable, unique balance of strength & softness.
- ◊ Suitable for Plasma, ETO, Formaldehyde, Gamma sterilization.

Model No.	Product Size	Packing Quantity
SVTP-075260	7.5cm x 26cm	7500PCS/CARTON
SVTP-100150	10cm x 15cm	6000PCS/CARTON
SVTP-100250	10cm x 25cm	4000PCS/CARTON
SVTP-150200	15cm x 20cm	4000PCS/CARTON
SVTP-200250	20cm x 25cm	2000PCS/CARTON
SVTP-300400	30cm x 40cm	1000PCS/CARTON
SVTP-300500	30cm x 50cm	1000PCS/CARTON
SVTP-300600	30cm x 60cm	1000PCS/CARTON
SVTP-200400	20cm x 40cm	1600PCS/CARTON
SVTP-080250	8cm x 25cm	7500PCS/CARTON
SVTP-080120	8cm x 12cm	7500PCS/CARTON
SVTP-250350	25cm x 35cm	1500PCS/CARTON
SVTP-100200	10cm x 20cm	6000PCS/CARTON

Other sizes customizable upon request.



STERILIZATION PAPER BAGS 1.8

FEATURES:

- ◊ Manufactured with medical use paper according to international rules EN868-4.
- ◊ With a longitudinal and transversal double blue sealing to improve the safety in its use.
- ◊ Chemical indicators for Steam sterilization: Blue to Black and ETO: Pink to Yellow.
- ◊ All Features we supply:
 1. Double folded or Single folded;
 2. Plain top or Stepped top;
 3. With serrated edge or none;
 4. With heat sealable edge or none(plain closure);
 5. With thumb-notch or none

Model No.	Product Size	Packing Quantity
SVPB-090150 A	90mm x 50mm x 150mm	2000pcs/ctn
SVPB-090250 B	90mm x 50mm x 250mm	2000pcs/ctn
SVPB-110190 C	110mm x 30mm x 190mm	1500pcs/ctn
SVPB-140250 D	140mm x 75mm x 250mm	1500pcs/ctn
SVPB-190250 E	190mm x 65mm x 250mm	1000pcs/ctn
SVPB-140330 F	140mm x 50mm x 330mm	1000pcs/ctn
SVPB-140360 G	140mm x 50mm x 360mm	500pcs/ctn
SVPB-180380 H	180mm x 95mm x 380mm	500pcs/ctn
SVPB-100150 J	100mm x 50mm x 150mm	2000pcs/ctn
SVPB-250380 L	250mm x 100mm x 380mm	500pcs/ctn
SVPB-190330 P	190mm x 65mm x 330mm	500pcs/ctn
SVPB-110190 Q	110mm x 45mm x 190mm	1500pcs/ctn


Other sizes customizable upon request.



STERILE PROCESSING IS THE LAST LINE OF DEFENSE FOR PATIENT SAFETY

STERILIZATION WRAPPING

02



NONWOVEN FABRIC WRAP - SMS/SMMS/SMMMS

Model No.	Product Size	Packing Quantity
SVSM-020	20cm x 20cm	1000PCS/CARTON
SVSM-030	30cm x 30cm	1000PCS/CARTON
SVSM-035	35cm x 35cm	1000PCS/CARTON
SVSM-040	40cm x 40cm	1000PCS/CARTON
SVSM-045	45cm x 45cm	1000PCS/CARTON
SVSM-050	50cm x 50cm	500PCS/CARTON
SVSM-060	60cm x 60cm	500PCS/CARTON
SVSM-075	75cm x 75cm	250PCS/CARTON
SVSM-080	80cm x 80cm	250PCS/CARTON
SVSM-090	90cm x 90cm	250PCS/CARTON
SVSM-100	100cm x 100cm	250PCS/CARTON
SVSM-100	100cm x 140cm	200PCS/CARTON
SVSM-120	120cm x 120cm	200PCS/CARTON
SVSM-140	140cm x 140cm	200PCS/CARTON
SVSM-120140	120cm x 140cm	100PCS/CARTON
SVSM-120160	120cm x 160cm	100PCS/CARTON
SVSM-120180	120cm x 180cm	100PCS/CARTON
SVSM-140160	140cm x 160cm	100PCS/CARTON
SVSM-140180	140cm x 180cm	100PCS/CARTON

Other sizes customizable upon request.



Features:

- ◊ Pure synthetic polypropylene fibers.
- ◊ The available weight from 40gsm to 60gsm.
- ◊ Superior bacterial protection, strong and durable.
- ◊ Fluid repellent and resistant to moisture, memory free.
- ◊ Good puncture and tearing resistance.
- ◊ For Steam, Ethylene Oxide and Low-Temperature sterilization.
- ◊ The spunbond layers (S) provide good filtration properties, tensile strength and are fluid repellent while the meltblown layers (M) ensure strong bacterial barrier properties with very small porous size.
- ◊ Storage: 2-35°C, keep away from direct sunlight.
- ◊ Conforms ISO 11607 and EN868-2.



Model No.	Product Size	Packing Quantity
SVCP-020	20cm x 20cm	2000PCS/CARTON
SVCP-030	30cm x 30cm	2000PCS/CARTON
SVCP-035	35cm x 35cm	2000PCS/CARTON
SVCP-040	40cm x 40cm	1000PCS/CARTON
SVCP-045	45cm x 45cm	1000PCS/CARTON
SVCP-050	50cm x 50cm	1000PCS/CARTON
SVCP-060	60cm x 60cm	500PCS/CARTON
SVCP-075	75cm x 75cm	250PCS/CARTON
SVCP-080	80cm x 80cm	250PCS/CARTON
SVCP-090	90cm x 90cm	250PCS/CARTON
SVCP-100	100cm x 100cm	250PCS/CARTON
SVCP-100140	100cm x 140cm	200PCS/CARTON
SVCP-120120	120cm x 120cm	200PCS/CARTON
SVCP-120140	120cm x 140cm	200PCS/CARTON
SVCP-120160	120cm x 160cm	200PCS/CARTON
SVCP-120180	120cm x 180cm	200PCS/CARTON
SVCP-140	140cm x 140cm	200PCS/CARTON
SVCP-140160	140cm x 160cm	100PCS/CARTON
SVCP-140180	140cm x 180cm	100PCS/CARTON

Other sizes customizable upon request.

STERILIZATION WRAPPING CREPE PAPER

2.2

Features:


- ◊ Manufactured from environmentally friendly cellulose material made from 100% wood pulp.
- ◊ The available weight from 40gsm to 60gsm.
- ◊ Available in different sizes and colors: blue/green/white.
- ◊ Exceptional Tensile Strength - wet or dry.
- ◊ No smell, no fiber, non-toxic, good sterile barrier.
- ◊ Outstanding liquid repellency- water, alcohol, iodine.
- ◊ Even texture to permit immediate visual detection of small pinholes/tears.
- ◊ Bacterial barrier to both airborne and waterborne contamination.
- ◊ Use with ETO, steam, gamma irradiation sterilization.
- ◊ Storage: 2-35°C, keep away from direct sunlight.



LEADING SOLUTION FOR STERILE BARRIER SYSTEM

STERILIZATION MONITORING

03



STERILIZATION INDICATOR TAPE 3.1

FEATURES:

- ◊ Steam Indicator Tape: yellow to dark brown or black, in 15-20 minutes of 121°C/250°F in a gravity cycle; in 6 minutes of 132°C/270°F with gravity and vacuum-assisted cycle is complete.
- ◊ EO Indicator Tape: red to yellow.
- ◊ FORM Indicator Tape: red to yellow.
- ◊ PLASMA Indicator Tape: blue to red.

STEAM INDICATOR TAPE

Model No.	Product Size	Packing Quantity
SVST-1250	12mm x 50m	76ROLLS/CARTON
SVST-1950	19mm x 50m	48ROLLS/CARTON
SVST-2550	25mm x 50m	36ROLLS/CARTON
SVST-1255	12mm x 55m	76ROLLS/CARTON
SVST-1955	19mm x 55m	48ROLLS/CARTON
SVST-2555	25mm x 55m	36ROLLS/CARTON

Other sizes customizable upon request.

EO INDICATOR TAPE

Model No.	Product Size	Packing Quantity
SVET-1250	12mm x 50m	76ROLLS/CARTON
SVET-1950	19mm x 50m	48ROLLS/CARTON
SVET-2550	25mm x 50m	36ROLLS/CARTON
SVET-1255	12mm x 55m	76ROLLS/CARTON
SVET-1955	19mm x 55m	48ROLLS/CARTON
SVET-2555	25mm x 55m	36ROLLS/CARTON

Other sizes customizable upon request.

FORM INDICATOR TAPE

Model No.	Product Size	Packing Quantity
SVFT-1250	12mm x 50m	76ROLLS/CARTON
SVFT-1950	19mm x 50m	48ROLLS/CARTON
SVFT-2550	25mm x 50m	36ROLLS/CARTON
SVFT-1255	12mm x 55m	76ROLLS/CARTON
SVFT-1955	19mm x 55m	48ROLLS/CARTON
SVFT-2555	25mm x 55m	36ROLLS/CARTON

Other sizes customizable upon request.



PLASMA INDICATOR TAPE

Model No.	Product Size	Packing Quantity
SVPT-1250	12mm x 50m	76ROLLS/CARTON
SVPT-1950	19mm x 50m	48ROLLS/CARTON
SVPT-2550	25mm x 50m	36ROLLS/CARTON
SVPT-1255	12mm x 55m	76ROLLS/CARTON
SVPT-1955	19mm x 55m	48ROLLS/CARTON
SVPT-2555	25mm x 55m	36ROLLS/CARTON

Other sizes customizable upon request.



STERILIZATION INDICATOR STRIP

3.2

STERILIZATION INDICATOR STRIP STEAM TYPE 4

Model No.	Product Size	Packing Quantity
SVIST4-18105	18mm x 105mm	200pcs/box; 100boxes/ctn

Other sizes customizable upon request.

STERILIZATION INDICATOR STRIP STEAM TYPE 4 PERFORATED

Model No.	Product Size	Packing Quantity
SVIST4-18210	18mm x 210mm	250pcs/box; 50boxes/ctn

Other sizes customizable upon request.

STERILIZATION INDICATOR STRIP STEAM TYPE 5

Model No.	Product Size	Packing Quantity
SVIST5-020075	20mm x 75mm	200pcs/box; 100boxes/ctn

Other sizes customizable upon request.

STERILIZATION INDICATOR STRIP STEAM TYPE 6

Model No.	Product Size	Packing Quantity
SVIST6-025060	25mm x 60mm	200pcs/box; 100boxes/ctn

Other sizes customizable upon request.

STERILIZATION INDICATOR STRIP EO

Model No.	Product Size	Packing Quantity
SVISEO-18105	18mmx105mm	200pcs/box; 100boxes/ctn

Other sizes customizable upon request.

STERILIZATION INDICATOR STRIP FORM

Model No.	Product Size	Packing Quantity
SVISFO-18105	18mmx105mm	200pcs/box; 100boxes/ctn

Other sizes customizable upon request.

STERILIZATION INDICATOR STRIP PLASMA

Model No.	Product Size	Packing Quantity
SVISPL-18105	18mmx105mm	200pcs/box; 100boxes/ctn

Other sizes customizable upon request.

FEATURES:

- ◊ Check all parameters for the exposure of steam, temperature and time inside the trays.
- ◊ Designed for STEAM at 134°C - 3.5 ~ 4 minutes and 121°C - 15 minutes.
- ◊ Water based, no heavy metals or toxic substances.
- ◊ Clear and accurate color change in compliance with ISO 11140-1.
- ◊ Manufactured in absence of lead and heavy metals.
- ◊ Storage: away from light, corrosive gas and in 15°C~30°C, 20% to 70% relative humidity.
- ◊ Validity: 18 months; Shelf-Life: 3 years from the date of manufacture.



FEATURES:

- ◊ Purple red to blue in compliance with ISO 11140-1.
- ◊ Water based, non-toxic chemical indicator.
- ◊ Clear and accurate color change.
- ◊ Manufactured in absence of lead and heavy metals.

FEATURES:

- ◊ Made of high quality medical paper board and ink.
- ◊ Indicator turns from purple to green under particular FORM gas, temperature and time.
- ◊ ISO 11140-1 Type 4 Compliant.

FEATURES:

- ◊ Designed for vaporized H2O2 plasma sterilization.
- ◊ Non-toxic, lead free process indicator- red to yellow.
- ◊ Accurate indicator color change.
- ◊ Conforms to ISO 11140-1.



FEATURES:

- ◊ Biodegradable and latex free, high quality re-cycled paper.
- ◊ Easy to interpret indicator sheet with blue to black color transition.
- ◊ Durable, easy-to-handle construction.
- ◊ Convenient exterior chemical process non reversible Indicators allow for easy verification of processed from unprocessed test packs.
- ◊ Simulation of worst case scenario, Reproducible results.
- ◊ No preferential route of steam entry, can be placed either way in autoclave.
- ◊ Validated for runs at 134°C for 3.5 min or 132°C for 4 minutes.

BOWIE-DICK TEST PACK

3.3

Model No.	Product Size	Packing Quantity
SVBD-115125	115mm x 125mm	100PCS/CTN
Other sizes customizable upon request.		

ACCESSORIES

04



FEATURES:

- ◊ The dental Bibs are made of a 3-ply durable material consisting of an absorbent 2-ply 17gsm paper with an external 1-ply 13gsm PE film. This results in a superior quality patient bib for maximum absorption and patient protection.

Model No.	Product Size	Packing Quantity
SVDB-3345	33cm x 45cm	125PCS/PE BAG, 500PCS/CTN
Other sizes customizable upon request.		

FEATURES:

- ◊ Comfortable, durable, and waterproof.
- ◊ Ensures maximum patient protection.
- ◊ Various color options available including green, yellow, pink, blue, purple.



LEADING SOLUTION FOR STERILE BARRIER SYSTEM

SEALING EQUIPMENTS

05


Manual Sealing Equipments

5.1




SEAL 300A

Fast Sealing
 Digital Temperature Display 50°C-250°C
 Cutting Blade - Long using life
 Sealing Width 10mm
 Auto and feet control
 (double control method)
Technical Parameters:
 Maximum Sealing Length : 30cm
 Sealing Width : 10mm
 Heating Mothed: Long Using Life Heating Pipe
 Temperature Adjustable: 50°C-250°C
 Temperature Disolay: Digital Display
 Voltage: 220V 50HZ-60HZ
 Output Power: 500W
 Outside Size: 45cmX39cmX24cm
 Gross Weight: 9kg
 Mateiral: Metal Painting




SEAL 300N

PREHEATING SEALING MACHINE
 Fast Sealing
 Temperature adjustable
 Cutting Blade - long using life
 Sealing Width 10mm
Technical Parameters:
 Maximum Sealing Length: 30cm
 Sealing Width: 10mm
 Heating Mothed: Long Using Life Heating Pipe
 Temperature Adjustable: 50°C-250°C
 Temperature Adjust Mode: Temperature Knob
 Voltage: 220V 50HZ-60HZ
 Output Power: 500W
 Outside Size: 45cmX39cmX24cm
 Gross Weight: 9kg
 Mateiral: Metal Painting



SEAL 500N

PREHEATING SEALING MACHINE
 Fast Sealing
 Temperature adjustable
 Cutting Blade - Long using life
 Sealing Width 10mm
Technical Parameters:
 Maximum Sealing length: 50cm
 Sealing Width: 10mm
 Heating Mothed: long Using life Heating Pipe
 Temperature Adjustable: 50°C~250°C
 Temperature Adjust Mode: Temperature Knob
 Voltage: 220V 50HZ-60HZ
 Output Power: 500W
 Outside Size: 60cmX39cmX24cm
 Gross Weight: 14kg
 Mateiral: Metal Painting




MY-100A

Main Characteristics:

Auto-control function, continuous operation;
 Accuracy: <1% Temperature range: 60-220°C adjustable
 Fast heating, 40 seconds required from room temperature to 180°C;
 Adjustable fixed-force system, suitable for sealing paper-plastic bags,
 3D paper-plastic bags and paper--paper bags;
 Advanced flat ceramic heating components, high-temperature stability, long life expectancy and high heat efficiency.

Specifications:

Sealing speed 10m/min
 Power: 500w; Sealing width 12mm,
 Voltage: 220v 50HZ(optional)
 Dimension: 482x242x157mm
 Sealing margin: 0-35 mm adjustable;
 Weight: 12KG



MY-100B

Main Characteristics:

Printable, 4.3"(95*55)mm color liquid crystal screen, light-touch keyboard, internal clock;
 Accuracy: <1% Temperature range: 60-220°C adjustable
 Fast heating, 40 seconds required from room temperature to 180°C;
 Automatic fault detection and alarm.

Specifications:

Sealing speed 10m/min; automatic seal printing detection using light-control technique Sealing width 12mm;
 Voltage: 220v 50HZ, Power: 500w;
 Dimension: 560x260x220mm
 Sealing margin: 0-35 mm adjustable;
 machine shell material: spray carbon steel or 304 stainless steel.

MY-100C


Main Characteristics:

Color capacitive touch screen, graphical user interface, built-in clock, and parameters can be set up with automatic storage function;
 Counter is set inside which range is 0~9999 and print margin can be set in advance;
 Automatic assisting temperature reduction operated by a fan connected to temperature control system, reducing the waiting time;
 60°C、120°C、180°C、220°C is preset to desire the user's need of changing the temperature conveniently;
 Standby time and temperature is adjustable, it can recover to the work temperature in a short time;
 In the condition of identification, the time, temperature, pressure, speed, sterilizing date, expire date, lot number and the number of the equipment can be printed.
 Sterilizing and expire date auto adjust; Automatic faults alarm display during working;
 Printing function can be disabled or partially activated

Specifications:

Sealing speed 10-10.05m/min, Sealing width 12mm
 Power: 500w, Voltage: 220v 50HZ
 Dimension: 560x260x220mm
 Sealing margin: 0-35 mm adjustable

Automatic Sealing Equipments 5.2






ADVANCING SAFETY IN STERILE PROCESSING

MEDICAL INDUSTRIAL MATERIALS

06




Model NO.: SVLF

MEDICAL LAMINATED FILM

C.1

PRODUCT SPECIFICATION:

- ◊ Material: Laminated Cast PP/PET; PE/PET; also PP/PE Blister Film
- ◊ Thickness: CPP/PET: 40µm +12µm; PE/PET: 48µm +12µm
- ◊ Blue, Green, Purple, Transparent
- ◊ Size: 415mmx1500m , 421mmx1500m , 425mmx1500m, 610mmx1500m
- ◊ Roll Diameter: 25-40cm
- ◊ Sterilization: CPP/PET: Steam, Ethylene oxide (ETO), Gamma
PET/PE: Plasma, ETO
- ◊ Application: Medical devices packaging including gloves , gauze , sponge , cotton swabs , masks , catheters , surgical instruments , dental instruments , injectors etc. Sterilization package in hospital CSSD, dental clinic and laboratory, also supplying as raw material for factories.
- ◊ Features: excellent microbial barrier, high puncture, tearing, breaking resistance, good compatibility with uncoated medical grade paper with easy sealing and peeling



Model NO.: SVDP

MEDICAL DIALYSIS PAPER

C.2

PRODUCT SPECIFICATION:

- ◊ Material: 100% cellulose fiber
- ◊ Weight: 60gsm, 70gsm
- ◊ Printing: Printing or Non-printing
- ◊ Coating: Coated(3g, 5g, 10g glue) or Non-coated
- ◊ Features: High bacterial filtration efficiency, water resistant, moisture proof, excellent puncture resistant, good stability, no chemicals remaining, good versatility, excellent adhesive strength and toughness, excellent peelability

EXPERTISE, SERVICE, INTEGRITY



STERIVIC

ONE=STOP

STERILIZATION PACKAGING

SUPPLIES PROVIDER

STERIVIC MEDICAL CO.,LTD.

- ◊ Add: DaDuKou Economic Development Zone, ChiZhou, Anhui, China 247200.
- ◊ Web: www.sterivic.com
- ◊ Email: info@sterivic.com
- ◊ Tel: +86-566 891 9608
- ◊ Fax: +86-566 891 9608